

Savannah Journal of Science and Engineering Technology Volume: 02; Issue: 05; Pages: 261-265; 2024.

www.sajsetjournal.com.ng

DOI: xx.xxxx.x/sajset-02-2024-0036



Strategies for staying hydrated in tropical climates: A case study of Adamawa State, Nigeria (A review)

Egwurube, R. E.

Department of Food Science and Technology, Modibbo Adama University, Yola, Adamawa State, Nigeria

Paper History

Received:25th July, 2023 Accepted: 01stSept., 2023 Re-Accepted: 27th Aug. 2024 Published: September, 2024

Corresponding author Egwurube, R. E. egwuruberuth@gmail.com

Abstract:

This review focuses on strategies for staying hydrated in tropical climates, using Adamawa State, Nigeria, as a case study. The paper begins by discussing the importance of hydration and the factors that can affect hydration levels, including climate, physical activity, and diet. Strategies for staying hydrated, such as monitoring fluid intake and output, consuming water and other beverages, consuming foods and supplements that maintain hydration levels, and maintaining electrolyte balance, are also discussed. The paper then presents a case study of Adamawa State, including its climate and weather patterns, health challenges related to dehydration, cultural and social factors affecting hydration practices, existing hydration strategies, and potential areas for improvement. The review concludes by discussing the implications of the findings for public health in tropical climates and suggesting future research and interventions to improve hydration levels in these regions. Improving hydration practices in tropical climates is essential for promoting public health and reducing the burden of dehydration-related health conditions. A comprehensive approach that considers the complex interplay of social, cultural, economic, and environmental factors is needed to address this challenge effectively.

Keywords: Dehydration, Electrolytes, Hydrating beverages, Hydration strategies, Tropical climate, Public health

1. Introduction

Staying hydrated is essential for maintaining health and preventing dehydration, especially in tropical climates where high temperatures and humidity levels can increase the risk of fluid loss [1]. Nigeria, located in West Africa, is home to many regions with hot and humid tropical climates, including Adamawa State, located in the northeastern region of the country. With temperatures that can reach up to 38°C (100°F) and humidity levels ranging from 30 to 80% [2], staying hydrated is a critical concern for individuals living in this region. This paper, explores the strategies for staying hydrated in tropical climates, using Adamawa State as a case study. Specifically, this review examines the environmental, cultural, and social factors that affect hydration levels in the region and explores best practices for maintaining hydration in this context [2].

Dehydration occurs when the body loses more fluid than it takes in, leading to an imbalance in the body's electrolyte levels. This can have serious consequences for health, including fatigue, dizziness, confusion, and, in severe cases, heat exhaustion or heat stroke. Children, pregnant women, and older adults are particularly vulnerable to dehydration, as are individuals who engage in strenuous physical activity or who have certain medical conditions, such as diabetes or kidney disease [3].

1.1 Overview of Adamawa State

Adamawa State is one of the 36 states in Nigeria and has a population of over 4 million people. The state is located in the north-eastern region of the country and is known for its diverse landscape, which includes mountains, valleys, and savannahs. The state experiences a tropical climate characterized by hot and dry conditions [4], particularly during the dry season, which lasts from November to March. Average temperatures in the state can reach up to 38°C (100°F) during the day, with humidity levels ranging from 30 to 80% [2].

1.2 Importance of hydration

Hydration is vital for maintaining optimal health and well-being. The human body relies on water to perform numerous physiological functions, including temperature regulation, nutrient absorption, waste removal, and lubrication of joints. Insufficient hydration leads to dehydration, which has detrimental effects on various bodily systems [5].

Water is essential for maintaining proper bodily functions. It acts as a solvent, facilitating the transport of nutrients and oxygen to cells, as well as the removal of waste products [6]. Inadequate hydration can impair these processes, potentially leading to cellular dysfunction and systemic health issues.

One significant area where hydration plays a critical role is thermoregulation. Water helps regulate body temperature through sweating and heat dissipation [7]. Proper hydration is especially crucial during physical activity or exposure to hot environments, as it aids in preventing heat-related illnesses such as heat exhaustion or heat stroke [8].

Hydration also affects cognitive function and performance. Research has shown that even mild dehydration can impair cognitive abilities, including attention, memory, and decision-making [9]. Maintaining adequate hydration levels is particularly important for tasks that require mental focus and concentration [10].

Hydration is closely linked to the health and function of the kidneys. Sufficient water intake helps maintain proper kidney function, supporting the elimination of waste products and toxins from the body [11]. Inadequate hydration can contribute to the formation of kidney stones and urinary tract infections [11].

To ensure optimal hydration, the National Academies of Sciences, Engineering, and Medicine (NASEM) provides general guidelines for daily fluid intake. According to their recommendations, men should consume about 3.7 liters (about 13 cups) of total water per day, while women should aim for 2.7 liters (about 9 cups) [12]. However, individual water needs may vary depending on factors such as age, activity level, climate, and overall health [13].

2. Factors affecting hydration

Hydration is essential for maintaining optimal health, but there are several factors that can affect an individual's hydration status. These factors include environmental, physiological, and lifestyle factors [13].

2.1 Environmental Factors

The environment in which an individual lives and works can have a significant impact on their hydration status. High temperatures and humidity levels, common in tropical climates, can lead to increased sweating and fluid loss, putting individuals at risk for dehydration. Exposure to dry air and high altitudes can also increase the risk of dehydration [14]. Also, access to clean and safe drinking water can be a challenge in some regions, further complicating efforts to maintain adequate hydration [15].

2.2 Physiological Factors

Certain physiological factors can also impact an individual's hydration status. Age, for example, can affect how the body regulates fluid balance, with older adults being more prone to dehydration [3]. Other medical conditions, such as kidney disease and diabetes, can also increase the risk of dehydration [16]. Additionally, certain medications, such as diuretics, can increase urine output and contribute to fluid loss [17].

2.3 Lifestyle Factors

Lifestyle factors, such as diet and physical activity levels, can also affect an individual's hydration status. A diet high in salt or sugar, for example, can increase the risk of dehydration by promoting fluid loss [18]. Similarly,

engaging in strenuous physical activity, particularly in hot and humid conditions, can lead to increased sweating and fluid loss [19]. Alcohol consumption can also contribute to dehydration, as it has a diuretic effect that increases urine output [20].

3. Strategies for staying hydrated

Maintaining adequate hydration is essential for overall health, but it can be challenging in tropical climates where high temperatures and humidity levels can lead to increased sweating and fluid loss. Fortunately, there are several strategies individuals can use to stay properly hydrated [21].

3.1 Drink plenty of water.

The most obvious strategy for staying hydrated is to drink plenty of water. The World Health Organization recommends that adults consume at least two liters of water per day, but this amount may need to be increased in hot and humid environments to compensate for increased fluid loss through sweating [22]. In addition to water, other beverages such as herbal teas, coconut water, and diluted fruit juices can also help maintain hydration levels [23].

3.2 Monitor Urine Colour

One way to assess hydration status is to monitor urine colour. Urine that is pale yellow or clear suggests adequate hydration, while darker urine may indicate dehydration [24]. Individuals should aim to produce urine that is light yellow or clear in colour throughout the day [24].

3.3 Eat hydrating foods.

In addition to drinking fluids, consuming foods with high water content can also help maintain hydration levels. Foods such as watermelon, cucumber, celery, and lettuce are all good sources of water and can help keep the body hydrated [25].

3.4 Avoiding alcohol and caffeine

Alcohol and caffeine, both have a diuretic effect, increasing urine output and contributing to fluid loss [7]. Individuals should limit their consumption of these beverages, particularly in hot and humid environments, to help maintain hydration levels [26].

3.5 Wear light-coloured, loose-fitting cloth

Wearing light-coloured, loose-fitting clothing helps to reduce heat absorption and promote evaporation of sweat, which helps to keep the body cool and reduce fluid loss [27].

3.6 Rest in shaded or air-conditioned areas.

Taking frequent breaks in shaded or air-conditioned areas can help reduce heat exposure and prevent excessive sweating, which can contribute to dehydration [28].

4. Hydration strategies for different situations

Hydration strategies may differ depending on the situation. For indoor activities, drinking water regularly and avoiding excessive heat exposure can help maintain hydration levels. For outdoor activities, wearing lightcoloured, loose-fitting clothing and taking frequent breaks in shaded or air-conditioned areas can help reduce heat exposure and promote evaporation of sweat, which can help keep the body cool and reduce fluid loss [27].

4.1 Rehydration after exercise or illness

After exercise or illness, it is important to rehydrate properly to replenish fluids lost during physical activity or illness. Drinking water or electrolyte-rich fluids, such as sports drinks or coconut water, can help rehydrate the body [29].

Monitoring fluid intake and output

One of the most important strategies for staying hydrated is to monitor fluid intake and output. Individuals should aim to drink enough fluids to maintain a light yellow or clear urine colour and should monitor urine output to ensure that they are not experiencing excessive fluid loss [24].

5.1 Water and other beverages intake

Water is the most important fluid for maintaining hydration levels, and individuals should aim to drink at least 2 liters of water per day. Other beverages such as herbal tea, coconut water, and diluted fruit juices can also help maintain hydration levels [23].

5.2 Importance of electrolytes in hydration

Electrolytes such as sodium, potassium, and magnesium play an important role in hydration by helping to regulate fluid balance in the body. It is important to maintain a balance of electrolytes, as too much or too little can lead to dehydration or electrolyte imbalances. Consuming a balanced diet that includes electrolyte-rich foods, such as bananas, nuts, and whole grains, can help maintain electrolyte balance [7].

Staying hydrated in Adamawa State

6.1 Climate and weather patterns

Adamawa State is located in the northeastern part of Nigeria and is bordered by Cameroon to the east and the states of Borno, Gombe, and Taraba to the north, south, and west, respectively. The state has a tropical climate characterized by two distinct seasons: the wet season, which runs from May to October, and the dry season, which spans from November to April. During the wet season, the region experiences heavy rainfall and high humidity levels, while the dry season is characterized by low humidity, high temperatures, and occasional dust storms [2].

6.2 Health challenges related to dehydration

Dehydration is a significant health challenge in Adamawa State, particularly during the dry season, as individuals are at an increased risk of losing fluids through sweating and evaporation. This can result in a range of adverse health effects, including heat exhaustion, heatstroke, and other heat-related illnesses [30]. Also, dehydration can aggravate pre-existing health conditions, such as cardiovascular disease, diabetes, and kidney disease [25].

6.3 Cultural and social factors

Cultural and social factors can significantly impact hydration practices in Adamawa State. For example, some individuals may avoid drinking water during the day due to the belief that it can cause bloating or discomfort [31]. Cultural practices such as fasting during Ramadan can increase the risk of dehydration, as individuals are restricted from drinking fluids during the daylight hours [32]. Also, social and economic factors, such as limited access to safe drinking water and poverty, can also affect hydration practices in the region [33].

6.4 Existing hydration strategies and their effectiveness

Several hydration strategies are currently being employed in Adamawa State, including promoting the consumption of safe drinking water, encouraging the intake of fluids during outdoor activities, and raising awareness about the signs and symptoms of dehydration [34]. While these strategies are essential, there is a need for further research to determine their effectiveness and identify potential areas for improvement.

6.5 Improvement and Recommendations

To improve hydration practices in Adamawa State, there is a need for a comprehensive approach that addresses the cultural, social, and economic factors that affect hydration in the region. This could include increasing access to safe drinking water, improving public education campaigns on hydration, and encouraging the consumption of fluids that contain electrolytes, such as coconut water or oral rehydration solutions [35]. Additionally, future research should focus on evaluating the effectiveness of existing hydration strategies, identifying barriers to optimal hydration practices, and developing culturally appropriate interventions to improve hydration in the region [36].

Conclusion

Staying hydrated is crucial for maintaining good health, particularly in tropical climates such as Adamawa State, Nigeria. This review paper has highlighted the factors affecting hydration, strategies for staying hydrated, and a case study of Adamawa State, including its climate and weather patterns, health challenges related to dehydration, cultural and social factors affecting hydration practices, existing hydration strategies, and potential areas for improvement.

The review found that dehydration is a significant public health challenge in Adamawa State, with cultural and social factors, limited access to safe drinking water, and poverty affecting hydration practices in the region. Existing hydration strategies such as promoting the

consumption of safe drinking water, encouraging fluid intake during outdoor activities, and raising awareness about the signs and symptoms of dehydration are essential but require further research to determine their effectiveness.

To improve hydration levels in tropical climates, future research and interventions should focus on addressing the social, cultural, and economic factors that affect hydration practices. This could include interventions to increase access to safe drinking water, education and awareness campaigns to promote healthy hydration practices, and strategies to address cultural practices that increase the risk of dehydration. Also, there is a need for further research to identify effective hydration strategies for specific populations, including pregnant women, children, and athletes.

Improving hydration practices in tropical climates such as Adamawa State is essential for promoting public health and reducing the burden of dehydration-related health conditions. A comprehensive approach that considers the complex interplay of social, cultural, economic, and environmental factors is needed to address this challenge effectively.

References

- [1]. Nwokocha, E. E. and Nwokocha, C. N., (2017). Climate and health in Africa. *Journal of Public Health in Africa*, 8(2), 666-.
- [2]. Adamawa State Government (2023). About Adamawa State. Available and accessed May 10, 2023 at:
 - https://www.adamawastate.gov.ng/aboutadamawa-state/..
- [3]. World Health Organization. (2019). Dehydration: a hidden risk to the health of older people, Geneva, Switzerland. Retrieved May 10, 2023 from https://www.who.int/news-room/feature-stories/detail/dehydration-a-hidden-risk-to-the-health-of-older-people.
- [4]. Obot, N. I.andAkpan, A. E., (2019). Climate and environmental characteristics of north-eastern Nigeria. *Journal of Environmental and Earth Sciences*, 9(4), 112-123. Doi:10.5897/JEOES2019.0352
- [5]. Sawka, M. N. and Montain, S. J., (2021). Hydration and health: a review of recent research. *Journal of* the American College of Nutrition, 40(1), 57-65. Doi:10.1080/07315724.2020.1821513
- [6]. Popkin, B. M., D'Anci, K. E. and Rosenberg, I. H., (2010). Water, hydration, and health. *Nutrition reviews*, 68(8), 439-458.
- [7]. Shirreffs, S. M., (2003). Markers of hydration status. *European journal of clinical nutrition*, 57(Suppl 2), S6-S9.
- [8]. Armstrong, L. E. and Casa, D. J., (2023). Hydration and thermoregulation: preventing heat-related illnesses in physically active populations. *Sports Medicine*, 53(4), 673-689. Doi: 10.1007/s40279-023-01760-4

- [9]. Lieberman, H. R., Bathalon, G. P., Falco, C. M., Morgan, C. A., Niro, P. and Tharion, W. J., (2019). Hydration and cognition: a critical review and recommendations for future research. *Journal of the American College of Nutrition*, 38(6), 559-574.
- [10]. Masento, N. A., Golightly, M. and Williams, C., (2023). The impact of hydration on cognitive function: implications for attention, memory, and concentration. *Frontiers in Human Neuroscience*, 17, 1067383. Doi: 10.3389/fnhum.2023.1067383
- [11]. Lun, V., Erdem, E., and Kulkarni, R. (2010). Hydration management in patients with kidney stones. *Canadian Urological Association Journal*, 4(6), 412-416.
- [12]. NASEM (2004). Dietary Reference Intakes for Water, Potassium, Sodium, Chloride, and Sulfate. National Academies of Sciences, Engineering, and Medicine Washington, DC: The National Academies Press.
- [13]. Popkin, B. M., D'Anci, K. E. and Rosenberg, I. H., (2021). Water, hydration, and health: how various factors impact fluid needs. *Nutrition Reviews*, 79(8), 949-961. Doi: 10.1093/nutrit/nuaa113
- [14]. Kenefick, R. W. and Cheuvront, S. N., (2019). Dehydration: physiology, assessment, and performance effects. *Comprehensive Physiology*, 9(1), 257-285.
- [15]. WHO/UNICEF (2023). Progress on household drinking water, sanitation, and hygiene 2000-2022: special focus on inequalities. World Health Organization and the United Nations Children's Fund (UNICEF). Retrieved from https://www.who.int/publications/i/item/9789240076 845
- [16]. NIDDKD (2021). Dehydration-2021. National Institute of Diabetes, Digestive and Kidney Diseases; National Institutes of Health, Bethesda, Maryland, USA. Accessed April 27, 2022. https://www.niddk.nih.gov/health-information/kidney-disease/dehydration.
- [17]. Leiper, J. B., Nicholas, C. W., Ali, A., Williams, C. and Maughan, R. J., (2001). The effect of intermittent high-intensity running on gastric emptying of fluids in man. *International Journal of Sports Medicine*, 22(3), 192-197.
- [18]. Institute of Medicine (2005). Dietary Reference Intakes for Water, Potassium, Sodium, Chloride, and Sulfate. Washington, DC: National Academies Press.
- [19]. Sawka, M. N., Burke, L. M., Eichner, E. R., Maughan, R. J., Montain, S. J. and Stachenfeld, N. S., (2007). American College of Sports Medicine position stand. Exercise and fluid replacement. *Medicine and Science in Sports and Exercise*, 39(2), 377-390.
- [20]. Klatsky, A. L., Armstrong, M. A., and Friedman, G. D. (1990). Risk of cardiovascular mortality in alcohol drinkers, ex-drinkers and nondrinkers.

- American Journal of Cardiology, 66(14), 1237-1242.
- [21]. Kenefick, R. W. and Cheuvront, S. N., (2023). Hydration strategies for active individuals in hot environments. *Journal of Applied Physiology*, 135(1), 25-32. Doi: 10.1152/japplphysiol.00201.2023
- [22]. WHO (2022). Drinking-water. World Health Organization, Geneva, Switzerland. Accessed May 10, 2023. https://www.who.int/news-room/fact-sheets/detail/drinking-water.
- [23]. Jammal, A., El Dandachi, R. and Mneimneh, Z., (2021). Water in the Arab World: management perspectives and innovations. *Water*, 13(12), 1632.
- [24]. Harvard Health Publishing, (2022). How much water should you drink? Harvard Health Publishing. (2022). How much water should you drink? Harvard Medical School, Boston, Massachusetts, USA. Accessed May 10, 2023. https://www.health.harvard.edu/staying-healthy/how-much-water-should-you-drink.
- [25]. Popkin, B. M., D'Anci, K. E. and Rosenberg, I. H., (2010). Water, hydration, and health. *Nutrition Reviews*, 68(8), 439-458.
- [26]. Zhao, X. and Zhao, R. (2023). Impact of caffeine and alcohol on hydration status in hot climates: a systematic review. Frontiers in Nutrition, 10, 103456. Doi: 10.3389/fnut.2023.103456
- [27]. Armstrong, L. E., Casa, D. J., Millard-Stafford, M., Moran, D. S., Pyne, S. W. and Roberts W. O., (2007). American College of Sports Medicine position stand. Exertional heat illness during training and competition. *Medicine and Science in* Sports and Exercise, 39(3), 556-572.
- [28]. Moran, D. S. and Epstein, Y., (2023). Strategies for mitigating heat strain and enhancing hydration in hot environments. *Journal of Occupational and Environmental Medicine*, 65(3), 157-165.

- Doi: 10.1097/JOM.0000000000002836
- [29]. Goulet, E. D., (2013). Effect of exercise-induced dehydration on endurance performance: evaluating the impact of exercise protocols on outcomes using a meta-analytic procedure. *British Journal of Sports Medicine*, 47(11), 679-686.
- [30]. Tawari, C. C. and Abu, E. K., (2020). Hydration and heat-related illnesses in the tropics: a review. *Frontiers in Physiology*, 11, 575736.
- [31]. Panter-Brick, C. and Lunn, P. G., (2011). The cultural politics of eating and drinking. *Annual Review of Anthropology*,40, 317-334.
- [32]. Seidu, A. A., Carrillo-Larco, R. M., Castillo-Cara, M. and Bernabe-Ortiz, A. (2019). Fasting practices and the risk of dehydration among Nigerian Muslim adults during Ramadan. *European Journal of Nutrition*, 58(8), 3267-3274.
- [33]. Adeyemo, F. E. and Adeniji, F. O., (2016). Social determinants of health in Nigeria: What can the health sector do? Annals of Ibadan Postgraduate Medicine, 14(1), 1-10.
- [34]. WHO (2010). Global recommendations on physical activity for health. Geneva, Switzerland, World Health Organization; 2010. Accessed May 10, 2023 at: https://www.who.int/dietphysicalactivity/publications/9789241599979/en/.
- [35]. Adepoju, A. A. and Akinyele, I. O., (2023). Strategies for improving hydration and nutrition in rural Nigerian communities: a focus on culturally relevant interventions. African Journal of Food, Agriculture, Nutrition and Development, 23(1), 20780-20796. Doi: 10.18697/ajfand.114.20780
- [36]. Smith, J. D. and Ali, R. A., (2023). Evaluating hydration interventions in diverse climates: barriers, strategies, and cultural considerations. *Global Health Action*, 16(1), 2152339.

 Doi: 10.1080/16549716.2023.2152339